Appl. No. 09/463,733 Amdt. dated October 10, 2008 Amendment under 37 CFR 1.116 Expedited Procedure Examining Group 1634

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

- 1. (Currently amended) A method of screening *in vitro* for modulators of RDGC GPCR phosphatase activity, the method comprising the steps of:
- (i) providing a first sample comprising a wild type rhodopsin and a Drosophila RDGC phosphatase comprising the sequence set forth in SEQ ID NO:1;
- (ii) contacting the first sample with a test compound suspected of having the ability to modulate RDGC GPCR phosphatase activity;
- (iii) providing a second sample comprising a mutant rhodopsin comprising wild type rhodopsin lacking the last 18 amino acids at the eytoplasmic carboxy-terminus as compared to wild type and a Drosophila RDGC phosphatase comprising the sequence set forth in SEQ ID NO: 1;
- (iii) detecting the level of Drosophila RDGC GPCR phosphatase activity in the first and second samples;
- (iv) contacting the first and second samples with a test compound suspected of having the ability to modulate RDGC GPCR phosphatase activity, wherein the test compound is a RDGC phosphatase mimetic; and
- (v) (iv) detecting a change in the level of Drosophila RDGC GPCR phosphatase activity in the first and second samples from step (iv) sample contacted with the compound, thereby detecting RDGC GPCR phosphatase activity; thereby detecting modulators of RDGC GPCR phosphatase activity;

wherein the test compound is a RDGC mimetic.

2-4. (Canceled)

- 5. (Previously presented) The method of claim 1, wherein the rhodopsin is recombinant.
- 6. (Previously presented) The method of claim 1, wherein the step of detecting comprises a G-protein coupled receptor phosphorylation assay.
- 7. (Previously presented) The method of claim 1, wherein the step of detecting comprises a G-protein coupled receptor mobility assay.
- 8. (Previously presented) The method of claim 1, wherein the step of detecting comprises a G-protein coupled receptor signal transduction assay.
- 9. (Previously presented) The method of claim 1, wherein the first sample and the second sample comprise a cell.
- 10. (Previously presented) The method of claim 9, wherein the cell is selected from the group consisting of a eukaryotic cell, an insect cell, a mammalian cell.
- 11. (Previously presented) The method of claim 10, wherein the cell is selected from the group consisting of a Drosophila cell or a human cell.
- 12. (Previously presented) The method of claim 1, wherein the first sample and the second sample comprise a membrane comprising a G-protein coupled receptor.
- 13. (Previously presented) The method of claim 1, wherein the first sample and the second sample comprise an aqueous sample or a solid-phase sample.
 - 14. (Canceled).
- 15. (Currently amended) A method of screening a cell for modulators of RDGC GPCR phosphatase activity, the method comprising the steps of:

Examining Group 1634

- (i) providing a first cell comprising rhodopsin and a Drosophila RDGC phosphatase comprising the sequence set forth in SEQ ID NO:1;
- (ii) contacting the first cell with a test compound suspected of having the ability to modulate RDGC GPCR phosphatase activity;

PATENT

- (iii) providing a second cell comprising a mutant rhodopsin comprising wild type rhodopsin lacking the last 18 amino acids at the eytoplasmic carboxy-terminus as compared to wild type and a Drosophila RDGC phosphatase comprising the sequence set forth in SEQ ID NO: 1;
- (iii) detecting the level of Drosophila RDGC GPCR phosphatase activity in the first and second cells;
- (iv) contacting the first and second cells with a test compound suspected of having the ability to modulate RDGC GPCR phosphatase activity, where in the test compound is a RDGC mimetic; and
- (v) (iv) detecting a change in the level of Drosophila RDGC GPCR phosphatase activity in the first cell and second cell contacted with the compound, thereby detecting RDGC GPCR phosphatase activity; thereby detecting modulators of RDGC GPCR phosphatase activity; wherein the test compound is a RDGC mimetic.
 - 16. (Canceled).
- 17. (Previously presented) The method of claim 15, wherein the rhodopsin is recombinant.
 - 18. (Canceled).
- 19. (Previously presented) The method of claim 15, wherein the first cell and the second cell are selected from the group consisting of a eukaryotic cell, a mammalian cell, an insect cell.

Appl. No. 09/463,733 Amdt. dated October 10, 2008 Amendment under 37 CFR 1.116 Expedited Procedure Examining Group 1634 **PATENT**

- 20. (Previously presented) The method of claim 19, wherein the first cell and the second cell are selected from the group consisting of a Drosophila cell or a human cell.
 - 21. (Canceled).
- 22. (Previously presented) The method of claim 15, wherein the first cell and the second cell comprise an aqueous sample or a solid-phase sample.
 - 23-38. (Canceled).